

DOSIMETRIC INFORMATION FORM

ADMINISTRATIVE DETAILS (BLOCK CAPITALS PLEASE)

SURNAME

FIRST NAME

DATE OF BIRTH

COMPANY

SUBCONTRACTOR OF

DOSIMETRIC DECLARATION

DOSES BEFORE INTERVENTION

Deriede	Deese	Dete of	<u>Notes:</u>
Periods	Doses (mSv)	Date of submission	 If the age please w
Current Month			
Month – 1			If the age Nuclear
Month – 2			the dose
Month – 3			The "Cur
Month – 4			the first
Month – 5			Doses m
Month – 6			"E
Month – 7			• "Doses (i
Month – 8			
Month – 9			If the worker nuclear site,
Month – 10			reported im
Month – 11			resuming wo
TOTAL			

- ent has never carried out activities in the controlled zone, write the word "NEVER" next to the word TOTAL
- gent has carried out activities in the controlled zone only at r Powerplant Doel (KCD), you may replace the indication of e of the various periods with the words "SEE DOEL".
- irrent Month" dose represents the estimated dose between t day of the month and the first day of the intervention.
- nust be expressed in milli-Sievert (mSv).
- (mSv)" = cumulative Gamma Neutron internal doses.

er interrupts his activities at KCD to work at another e, the dose accumulated at that other site must be mediately to the relevant office at KCD prior to ork at KCD.

NAME OF THE SIGNATORY

DATE

Certified true declaration, due notice taken of the stipulations on the reverse

SIGNATURE

FORM NOT COMPLETE = NO ACCESS TO CONTROLLED ZONE **!!! IMPORTANT !!!**

GENDER



!!! ATTENTION !!!

- The information requested requires your fullest attention and must be completed **legibly**. Only **persons authorised by the employer** (e.g.: manager, head of security, etc.) or an **independent agent** may complete the present form.
- One form must **imperatively** be provided for each agent entering the controlled zone at KCD.
- The form must be renewed following an intervention in the controlled zone at another nuclear site, and, in any case, every six months.
- The cluster CARE **reserves the right not to encode** or **to reduce** the agent's specific dose limit for reasons such as: ALARA principle, excessive passive dosage at KCD, etc.
- For further information, please contact KCD dosimetry service on:

🖀 ++32 – (0)3/202.21.98 🛛 📇 ++32 – (0)3/730.30.97

VerplegingDosimetrie.kcd@electrabel.com